

Kenndaten der gebräuchlichsten Lösemittel

Name	Flamm- punkt °C	Siede- punkt °C	Gefahren- symbol	R-Sätze	S-Sätze
Aceton	-20	56	F,Xi	11-36-66-67	9-16-26
Acetonitril	2	81	F, Xn	11-20/21/22-36	16-36/37
1 - Butanol	34	116-118	Xn	10-22-37/38-41-67	7/9-13-26-37/39-46
2 – Butanol	24	99 - 102	Xi	10-36/37-67	7/9-13-24/25-26-46
Tert-Butanol	14	81 – 83	F, Xn	11 – 20	9 – 16
Chlorbenzol	27	132	Xn, N	10-20-51/53	24/25-61
Chloroform	Nicht ent- flammbar	61	Xn	22-38-40-48/20/22	36/37
Cyclohexan	-18	81	F, Xn, N	11-38-50/53-65-67	9-16-25-33-60-61- 62
Decahydronaphthalin cis-, (Decalin)	57	194-196	Xn, C, N	20-34-51/53	26-36/37/39-45-61
Decahydronaphthalin, trans-, (Decalin)	54	187	Xn, C, N	10-20-34-51/53	26-36/37/39-45-61
Dichlormethan (Methylenchlorid)	Nicht ent- flammbar	40	Xn	40	23.2-24/25-36/37
Diethyl ether	-40	34,6	F+, Xn	12-19-22-66-67	9-16-29-33
Diisopropylether	-28	67-70	F	11-19-66-67	9-16-29-33
N,N- Dimethylformamid	58	153	T	61-E20/21-36	53-45
Dimethylsulfoxid (DMSO)	87	189	./.		
1,4 - Dioxan	11	101,5	F, Xn	11-19-36/37-40-66	9-16-36/37-46
Ethanol	12	78,3	F	11	7-16
Ethylacetat	-4	77	F, Xi	11-36-66-67	16-26-33
Ethylenglycol	111	197,6	Xn	22	
Glycerin	~ 180	290	--	--	--
N - Hexan	-22	69	F, Xn, N	11-38-48/20-51/53- 62-65-67	9-16-29-33-36/37- 61-62
Methanol	11	64,5	F, T	11-23/24/25- 39/23/24/25	7-16-36/37-45
Nitrobenzol	88	211	T, N	23/24/25-40- 48/23/24-51/53-62	28.3-36/37-45-61
n- Pentan	-48	36,1	F+, Xn, N	12-51/53-65-66-67	9-16-29-33-61-62
1-Propanol	15	96,5-98	F, Xi	11-41-67	7-16-24-26-39
Isopropanol	12	82,4	F, Xi	11-36-67	7-16-24/25-26
Pyridin	17	~115	F, Xn	11-20/21/22	26-28.1
Schwefelkohlenstoff	-30	46,5	F, T	11-36/38-48/23-62- 63	16-33-36/37-45
Tetrachlorkohlenstoff	Nicht ent- flammbar	76,7	T, N	23/24/25-40-48/23- 52/53-59	23.2-36/37-45-59- 61
Tetrahydrofuran	-21,5	65-66	F, Xi	11-19-36/37	16-29-33
Toluol	4	110,6	F, Xn	11-38-48/20-63-65- 67	36/37-46-62
Xylol (Isomerengemisch)	25	137-143	Xn	10-20/21-38	25